

# U.S. PUBLIC LAND SURVEY MONUMENT RECORD

For Public Land Survey Corners in:

WI ADMINISTRATIVE CODE A-E 7.08 REQUIREMENT

T. 2N., R. 10E

### CORNER CODE INDEX

|   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|
| A | 1  | 2  | 3  | 4  | 5  | 6  | 7  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 |
| B | 6  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| C |    | 5  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| D |    |    | 4  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| E |    |    |    | 3  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| F |    |    |    |    | 2  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| G |    |    |    |    |    | 1  |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| H | 1  | 8  | 9  | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 |    |
| I |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| J |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| K | 18 | 17 | 16 | 15 | 14 | 13 | 12 | 11 | 10 | 9  | 8  | 7  | 6  | 5  | 4  | 3  | 2  | 1  |    |    |    |    |    |    |    |
| L |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| M |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| N |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| O |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| P | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 |    |
| Q |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| R |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| S |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| T |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| U |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| V |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| W |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| X |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| Y |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |
| Z |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |

Spring Valley TWP  
ROCK COUNTY WI

IF AVAILABLE  
ROCK COUNTY COORDINATES PREFERRED

North \_\_\_\_\_ Elev. \_\_\_\_\_

East \_\_\_\_\_

Hor. Datum \_\_\_\_\_ Vert. Datum \_\_\_\_\_

LATITUDE \_\_\_\_\_ ELLIPS. HT. \_\_\_\_\_

LONGITUDE \_\_\_\_\_

GPS (X) \_\_\_\_\_ TRAVERSE (X) \_\_\_\_\_

BASED ON THE FOLLOWING CONTROL:

PLACE MONUMENT SYMBOL  AT PROPER LOCATION ON ABOVE INDEX

CORNER MONUMENT

WITNESS MONUMENT

(a)

BEARINGS ARE BASED ON: \_\_\_\_\_

FIELD BOOK \_\_\_\_\_ PAGE # \_\_\_\_\_

SHEET 1 OF 3

SHOW A PLAN VIEW DRAWING DEPICTING THE CORNER MONUMENT AND SURROUNDING PHYSICAL FEATURES, INCLUDING THE EXCAVATION AREA AND DEPTH.

PLANNING & ZONING COMMITTEE ADOPTED THE ABOVE FORM ON 12/2/1962

CORNER CODE C-21

sp519

(B) Describe any record evidence, monument evidence, occupational evidence, testimonial evidence or any other material evidence you considered, and whether the monument was found or placed.

1869 LEE VOL 1 PG 344 FOUND COR SET BY LOCKE. CALLS FOR 2653.2 TO CENTER OF SEC 1 AND 2622.84 TO SW COR SEC 1.

1868 LOCKE VOL 1 PG 322 FOUND COR. AS SET BY CHURCH. RESET STAKE WITH L.S. ON N & S 2302.74 VAR 6-10 TO NW COR SEC 1, 2623.5 VAR 5-55 TO SW COR SEC 1, & 2634.06 TO CENTER OF SEC 1.

1874 RUGER VOL 2 PG 130 FOUND COR SET BY LOCKE 2232.78 TO NW COR SEC 1 & 2647.92 TO CENTER OF SEC 1.

1880 LEE VOL 2 PG 313 FOUND REMAINS OF STAKE SET BY LOCKE. CALLS FOR 2306.04 TO NW COR SEC 1.

DUG AND FOUND NOTHING. EXCAVATION AND TERRAIN INDICATES THE CORNER WAS DESTROYED BY A ROAD CUT.

C) Was the corner restored through acceptance of (1) an obliterated evidence location, or, (2) a found perpetuated location?

RESTORED CORNER THROUGH ACCEPTANCE OF OBLITERATED EVIDENCE LOCATION. ACCEPTED CENTER OF PAVEMENT AND E/W FENCE LINE AS LOCATION OF CORNER. IT IS IN HARMONY WITH RECORD DISTANCES AND OCCUPATION LINES.

D) Describe any material discrepancy between the location of the corner as restored or reestablished and the location of that corner as previously restored or reestablished by distance and direction. Show the discrepancy on the plan view drawing under (a), above. Show the distances between the corner as previously restored or reestablished and (1) the corner as restored or reestablished, and (2) to at least 4 of the witness monuments shown on the drawing in (a), above.

(E) Was the corner reestablished through lost corner proportionate methods? If so, show the method, including the directions and distances to other public land survey corners used as evidence or used for proportioning the corner location.

I, Donald Barnes, hereby certify that the corner location as identified by the corner code index was determined by me under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

*Donald Barnes*  
Seal

*APR. 21, 1998*

emboss

Number of included sheets \_\_\_\_\_

CORNER CODE

A-E 7.08 REQUIREMENT

C-21



S89-16-10E 2631.46  
1833 DRIG 2610.3  
1870 RUGER 2620.2  
1310.10 RUGER 655.05 655.05

S89-15-55E 2630.32  
1833 DRIG 2610.3  
1870 RUGER 2625.8  
656.45 656.45 RUGER 1312.90

LOCKE 28.38  
28.45  
1833 DRIG 28.38

NW COR

NW COR

NE COR

# MAGNOLIA TWP

SEC 35

SEC 36

NO-17-23W 1330.95 NO-30-30V 1327.14  
1322.64 LEE 1322.64

1833 DRIG 2640  
1881 LEE 2658.48  
1988 BARNES 2658.09  
1330.95 BARNES 1327.14  
1881 LEE 2645.28

1870 RUGER 2656.16  
1328.08 RUGER 655.71 RUGER 655.71

1326.60 RUGER 1326.60  
1870 RUGER 2653.20 VAR 5-53  
NO-15-33E 2649.95

1870 RUGER 2623.83  
655.96 655.96 RUGER 1311.92

NO-21-00W 2641.79  
1833 DRIG 2640  
1870 RUGER 2625.8  
1312.90 RUGER 1312.90

NO-21-00W 2656.25

NO-21-00W 13.99  
13.99  
1867 LOCKE

W 1/4 COR S89-26-39E 5243.21  
S89-26-39E 5259.23

1870 RUGER 2618.55 VAR 6-30  
1315.88 RUGER 1315.88  
S89-26-39E 2624.85

S89-26-39E 2634.38  
1870 RUGER 2624.66 VAR 6-30  
656.16 656.16 RUGER 656.16 656.16  
328.08 328.08 328.08 328.08

E 1/4 COR

SEC 35

SEC 36 INTERSECTION OF  
1/4 LINES NOT MONUMENTED  
CENTER OF SEC.

NO-25-45V 2648.64  
1833 DRIG 2640  
1881 LEE 2644.62  
1322.31 LEE 1322.31

LEE 495.88

1833 DRIG 2640 N 1/4 COR

NO-15-33E 2641.93  
1870 RUGER 2641.32  
1320.66 RUGER 1320.66

1870 RUGER 2632.16  
328.84 329.02 329.02 658.04  
1316.08 RUGER 1316.08

NO-27-56V 2647.96  
1870 RUGER 2644.95 VAR 7-25  
1833 DRIG 2640  
1322.48 RUGER 1322.48

NO-27-54W 2661.95

# CENTER TWP T3N R1E

SET 3/4' REROD  
NW COR

NO-13-02E 2303.10  
1834 DRIG 2364.78  
1874 RUGER 2232.78 VAR 5-15  
1112.26 RUGER 1120.52  
1880 LEE 2306.04  
1868 LOCKE 2302.74 VAR 6-10

1880 LEE 1729.53  
FENCE 1733.2

1874 RUGER 2610.96 VAR 6-45  
1868 LOCKE 2616.90  
S89-35-19E 2616.90  
RUGER 5250.64  
5260.91

SET TIES

1833 DRIG 2600.4

SEC 2

SEC 1

SEC 1

NO-13-02E 2303.10  
1834 DRIG 2364.78  
1874 RUGER 2232.78 VAR 5-15  
1112.26 RUGER 1120.52  
1880 LEE 2306.04  
1868 LOCKE 2302.74 VAR 6-10

LEE 576.51  
FENCE 569.86

1869 LEE 2653.2 VAR 3  
1326.60 331.65 331.65 331.65 331.65  
1880 LEE 2645.28 VAR 3  
1874 RUGER 2647.92  
1868 LOCKE 2634.06 VAR 3  
S85-44-15E 2651.45

1880 LEE 1861.20 FENCE 1876.6  
1868 LOCKE 2480.94 VAR 6-45  
1880 LEE 2481.60  
1874 RUGER 2476.65 VAR 5-35  
1234.2 RUGER 1242.45  
NO-30-00E 2480.94

5347.68  
RUGER 5338.74  
1868 LOCKE VAR 3

1833 DRIG PLAT 2640  
1868 LOCKE 2649.57  
1989 BARNES 2649.82  
NO-30-13W 2649.82

W 1/4 COR  
SET TIES

LEE 576.51  
FENCE 569.86

1869 LEE 2653.2 VAR 3  
1326.60 331.65 331.65 331.65 331.65  
1880 LEE 2645.28 VAR 3  
1874 RUGER 2647.92  
1868 LOCKE 2634.06 VAR 3  
S85-44-15E 2651.45

INTERSECTION OF  
1/4 LINES NOT MONUMENTED  
CENTER OF SEC.

SEC 1

SI-32-53W 2623.88  
1869 LEE 2622.84  
655.71 655.71 1311.42  
1868 LOCKE 2623.50 VAR 5-55  
1834 DRIG 2640

FENCE 1309.6  
LEE 1313.9

1869 LEE 2673.0  
1336.5 334.13 334.13 334.13 334.13

1868 LOCKE VAR 6-45  
1272.81 LEE 1272.81  
1869 LEE 2545.62  
NO-30-00E 2607.80  
LEE 5027.22  
NO-30-00E 5088.74

1345.41 RUGER 1345.41  
1877 RUGER 2690.82  
S85-44-15E 2696.22

1833 DRIG 2640  
1868 LOCKE 2590.5  
1870 RUGER 2586.54  
RUGER FIELD NOTES  
RL PG 22 & 23 2583.57  
1989 BARNES 2589.05  
NO-25-50E 2589.08

N89-49-22E 1337.27

FENCE 1313.9

1363.3 FENCE 1335

S 1/4 COR 1301.6 FENCE 1396.6

SW COR  
1834 DRIG 2655.84  
1867 LOCKE 2690.68 VAR 3-24  
1345.34 LOCKE 1345.34  
1989 BARNES 2698.22  
S86-08-09E 2698.29

1887 RUGER 2663.32  
1986 BARNES INT. 2649.44

1834 DRIG 2655.84  
1867 LOCKE 2690.29 VAR 6-24  
1870 RUGER 2697.75  
1989 BARNES 2698.22  
S86-08-19E 2698.19

SE COR

SE COR

SEC 12

SEC 12

ROCK COUNTY PROJECTION

Donald Barnes  
EMBOSSED SEAL  
APRIL 1998

SOME DISTANCES & BEARINGS  
ARE BASED ON OLD OBSERVATIONS

1867 LOCKE 2731.08

C-21

# PLYMOUTH TWP T2N R1E