

U.S. PUBLIC LAND SURVEY MONUMENT RECORD

For Public Land Survey Corners In:

WI ADMINISTRATIVE CODE A-E 7.08 REQUIREMENT

T. 3 N. R. 10 E. 4th P.M.

REV 10/23/2004

USMONREC.DWG

CORNER CODE INDEX

MAGNOLIA TWP

ROCK COUNTY WI

IF AVAILABLE
ROCK COUNTY COORDINATES PREFERRED

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25		
A																											A
B																											B
C																											C
D																											D
E																											E
F																											F
G																											G
H																											H
J																											J
K																											K
L																											L
M																											M
N																											N
O																											O
P																											P
Q																											Q
R																											R
S																											S
T																											T
U																											U
V																											V
W																											W
X																											X
Y																											Y
Z																											Z

North _____ Elev. _____

East _____

Hor. Datum _____ Vert. Datum _____

LATITUDE _____ ELLIPS. HT. _____

LONGITUDE _____

NAD83(91) _____ NETWORK ADJ. YR _____

GPS (X) _____ TRAVERSE (X) _____

BASED ON THE FOLLOWING CONTROL:

PLACE MONUMENT SYMBOL AT PROPER LOCATION ON ABOVE INDEX

CORNER MONUMENT

WITNESS MONUMENT

(a)

BEARINGS ARE BASED ON: _____

FIELD BOOK _____ PAGE # _____

SHEET 1 OF 4

SHOW A PLAN VIEW DRAWING DEPICTING THE CORNER MONUMENT AND SURROUNDING PHYSICAL FEATURES, INCLUDING THE EXCAVATION AREA AND DEPTH.

PLANNING & ZONING COMMITTEE ADOPTED THIS FORM ON 12/2/1982

CORNER CODE T-1(1)

594

(B) Describe any record evidence, monument evidence, occupational evidence, testimonial evidence or any other material evidence you considered, and whether the monument was found or placed.

1833 MULLETT & BRINK SEP 6TH PG 12 NORTH ON EAST SIDE
OF SEC 1 T2N R9E

462 STREAM 5.28' @ SW
2640 SET 1/4 SECTION POST BUR OAK 16 N38 1/2 W
84.48', NO OTHER
5138.10 INTERSECTED SOUTH BOUNDARY OF T3N RUN
OUT FROM POST ON RIGHT BANK OF SUGAR
CREEK. SET POST AT INTERSECTION FOR
CORNER TO TOWNSHIPS 2 & 3 NORTH RANGE 9
EAST. LAND ROLLING, SECOND RATE TIMBER
BUR OAK. SEPTEMBER 6TH 1833

1833 MULLETT & BRINK SEP 3RD PG 18 VAR 8-35E
NORTH ON EAST SIDE SEC 36 T3N 9E

1100.88 BUR OAK 10
2640 SET 1/4 SEC POST B OAK 18 52.14'
B. OAK 7 11.22'
3020.82 B. OAK 14
3828.0 SUMMIT OF A HILL NW & SE
4793.58 BUR OAK 24
5280 SET POST COR SECTIONS 25 & 36 BUR OAK 7
N20W 10.56' BUR OAK 12 S54W 31.02'
LAND ROLLING, SECOND RATE TIMBER BUR &
BLACK OAK

1833 HARRISON DEC BETW SECS 30 & 31

730.62 WO 30 IN DIAM
2640 QUARTER SEC COR {BURR O 18 N28W 17.16'
BURR O 12 S41W 66' BURR O 18} MARKED
BURR O 12} MARKED
5334.12 INT W BDY 1081.08' NORTH OF COR TO TOWNS
2 & 3 & OF RG 9 & 10 {W.O. 14 NB2E 33' RED
OAK 12 S50E 46.2'
LAND ? & SAME

1833 HARRISON DEC 6TH WEST BET SEC 19 & 30

548.46 HICKY 10
1879.02 BURR O 12
2640 QUARTER SEC COR. {RED O 14 N43W 55.44'
BURR O 10 S45E 47.52'
4838.46 BURR O 12
5427.84 INT. WEST BDY SET COR TO SECS 18 & 30 {BUR
O 12 S84E 31.68' RED O 12 N11E 112.2'
LAND GENTLY ROLY 2ND RATE TIMBER
BURR, RED, & WHITE OAK. UNDG WEED SM GRASS & ??

1832 MULLETT & BRINK PG 14 SEP VAR 8-35E
WEST ON SOUTH SIDE SECTION 36

1980 ENTER MARSH
2376 STREAM 3.96' @ SW
2640 SET 1/4 SECTION POST
ASPEN 14 N11 1/2W 36.3' BURR OAK 16 N89 1/2E
801.24'
4422 LEAVE MARSH
5280 SET POST CORNER SECTIONS 35 & 36. BUR OAK 16
N89 1/2 W 357.72'; BUR OAK 16 N87 1/2E 225.06'
LAND ROLLING, 1ST HALF SECOND RATE. LAST
1/2 WET, TIMBER ASPEN, WILLOW, OAK,

SHEET 1 OF 4

CORNER CODE T-1(1)

S-09-07
Donald Barnes

MA594

1833 HARRISON DEC 8TH

EAST ON RAND BET 25 & 36 T3N R9E

660' LEFT PRAIRIE
2112 ENTERED MARSH
2640 TEMPY 1/4 SEC COR
2970 LEFT MARSH BEARING N.E.
5214 INT. E BDY 33' N OF POST LAND BAD 2ND RATE
TIMBER ALL BURR O SMALL & ???

WEST COR BET SEC 25 & 36

2607 QUARTER SEC COR {BURR O 14 S2W 177.54'
BURR O 10 S13E 248.82'

BURR O 14}

BURR O 10} MARKED

1937 SUNNY VOL 3 PG 354 "STONE MOUND" WITH 2 ARROWS.
PROBABLE INDICATION OF HILL.

1987 BARNES VOL 6 PG 369 SURVEY OF SEC 30 AND 31 AS
SHOWN IN MAP.

1987 BARNES T-1 NO RECORD OF CORNER BEING ESTABLISHED.
PLACED CORNER ON COUTH LINE AND MIDWAY BETWEEN THE
NW AND SW CORNERS OF SEC 30. S01-18-46E 1123.80 TO E
1/4 COR SEC 36 T3N R9E, N01-18-46W 1501.61 TO NE COR
SEC 36 T3N R9E, 2663.56 TO SW & NW CORNERS OF SEC 30.

2005 DOT VOL 6 PG 463 PROJ #5320-01-22-4.01, WI COUNTY
COORDIANTE SYSTEM GREEN COUNTY ZONE ; NAD83/91
ADJUSTMENT. SHOWS COORDINATES, BEARINGS &
DISTANCES AS SHOWN ON R/W PLAT.

FD POLY MON. & CARSONITE. TOP BROKE OFF. FD REFERENCE 1/2"
RERODS. WIDOT RD PLANS CALL FOR 100' DEEP CUT.

C) Was the corner restored through acceptance of (1) an obliterated evidence location, or, (2) a found perpetuated location?

ACCEPTED FD POLY.

D) Describe any material discrepancy between the location of the corner as restored or reestablished and the location of that corner as previously restored or reestablished by distance and direction. Show the discrepancy on the plan view drawing under (a), above. Show the distances between the corner as previously restored or reestablished and (1) the corner as restored or reestablished, and (2) to at least 4 of the witness monuments shown on the drawing in (a), above.

(E) Was the corner reestablished through lost corner proportionate methods? If so, show the method, including the directions and distances to other public land survey corners used as evidence or used for proportioning the corner location.

I, **Donald Barnes**, hereby certify that the corner location as identified by the corner code index was determined by me under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

Seal

May 9 2007

Embloss
Donald Barnes

SHEET 2 OF 4

CORNER CODE T-1(1)

A.E. 7.08 REQUIREMENT

W 1/4 COR

SEC 19

E 1/4 COR
SEC 25

T2N R09E
SEC 25

1978 BARNES 2635.25
TALARCYK 2635.42

1978 BARNES 2665.77

T3N R10E
SEC 19

NW COR
SEC 30

1987 BARNES N89-10-S1E 2603.06
1978 BARNES 2602.97

1987 FD ALUM

DRIG 2787.84

NE COR
SEC 36

1987 FD ALUM

S89-04-19W 2618.94

2005 WIDDOT PROJ #5320-01-22-4.01

1978 BARNES 1161.93
1987 BARNES
SI-08-32E 1161.94

1987 FD ALUM

172,711.873
682,005.715
2005 WIDDOT PROJ #5320-01-22-4.01.15
1987 BARNES 2625.41
WIDDOT INV NI-09-42W 2625.40
2005 WIDDOT PROJ #5320-01-22-4.01
2007 HASSE GPS 172,751.292
684,624.396
172,754.28
684,624.29

2005 WIDDOT PROJ #5320-01-22-4.01
WI COUNTY COORDINATE SYSTEM
GREEN COUNTY ZONE, NAD83/91 ADJUSTMENT

T3N R9E
SEC 36

1987 BARNES 2625.41
WIDDOT INV NI-09-42W 2625.40
2005 WIDDOT PROJ #5320-01-22-4.01
1987 BARNES T-1 NI-18-46E 2663.56
1978 BARNES 2663.56

T3N R10E
SEC 30

W 1/4 COR
SEC 30

1978 SET POLY

T3N R9E
SEC 36

1987 FD ALUM

SE COR
SEC 36

1987 BARNES 6-369
SI-18-21E 1081.08
DRIG 1081.08

SW COR
SEC 30

DRIG 2694.12
1873 LEE 2711.28
1987 BARNES N89-09-22E 2724.47
1389.88 1987 BARNES N89-09-22E 1334.59

1987 BARNES 2633.07
1987 BARNES 2607.93

MAGNOLIA TWP

W 1/4 COR
SEC 31

T3N R10E
SEC 31

E 1/4 COR
SEC 1

DRIG SW 31 TO NE 1 4181.1
1987 BARNES 5124.30

T2N R9E
SEC 1

1987 BARNES 51-04-S3E 2632.89
1982 BARNES 2632.82

SE COR
SEC 1

1978 BARNES S0-54-49E 2491.41
1987 BARNES 1987 BARNES
SI-19-07E 1643.38
1987 BARNES 2647.43
1987 BARNES 2607.94

SW COR
SEC 31

1982 BARNES 2867.07
1867 LOCKE 2866.38
1987 BARNES 50.16
1987 BARNES 50.00
1987 BARNES N89-55-11E 49.98

T2N R10E
SEC 6

1987 BARNES S89-03-01E 2917.02
1873 LEE 2913.90
DRIG 2991.12

MAGNOLIA TWP

SW COR
SEC 30

DRIG 2694.12
1873 LEE 2711.28
1987 BARNES N89-09-22E 2724.47
1389.88 1987 BARNES N89-09-22E 1334.59

1873 LEE 2633.07
1987 BARNES 2607.93

SE COR
SEC 36

1987 FD ALUM

T3N R9E
SEC 36

1987 BARNES 6-369
WIDDOT INV NI-09-33W 2620.84
2005 WIDDOT PROJ #5320-01-22-4.01
DRIG 1081.08
1987 BARNES SI-18-21E 1599.76
2005 WIDDOT PROJ #5320-01-22-4.01
2007 HASSE GPS 167,599.13
684,730.59
167,599.126
684,730.55

SHEET 4 OF 4

T-1(1)

Donald Barnes
5-09-07