DRAFTED BY

<u>January 10, 2012</u> DATE DRAFTED

Mickey Crittenden, IT Director

RESOLUTION ROCK COUNTY BOARD OF SUPERVISORS

Finance Committee INITIATED BY

Finance Committee
SUBMITTED BY



WHEREAS, the replacement of the County's data center uninterruptible power supply (UPS) is an

NOW, THEREFORE, BE IT RESOLVED, by the Rock County Board of Supervisors duly assembled this <u>A6</u> day of <u>January</u>, 2012 that a Purchase Order for a replacement data center UPS be issued to Quality Power Solutions in the amount of \$67,745.

Respectfully submitted,

16

17

18

19

Finance Committee
Mary Mawhinney, Chair
Sandra Kraft, Vice Chair
Absent
Mary Beaver
David Diestler
David Diesile Post In
J. Russell Podzilni
V

Reviewed and approved on a vote of 4-0.

Mary Mawhinney, Chair

Authorizing Purchase of Data Center Uninterruptible Power Supply Page 2

FISCAL NOTE:

Sufficient funding is included in the IT Infrastructure Upgrade budget, A/C 07-1439-0000-67200, for this purchase. This project is funded by Sales Tax proceeds.

Sherry Oja
Finance Director

LEGAL NOTE:

The County Board is authorized to take this action pursuant to secs. 59.01 and 59.52(6), Wis. Stats.

Jeffrey S. Kuglitsch Corporation Counsel

ADMINISTRATIVE NOTE:

Recommended.

Craig Knutson County Administrator

Executive Summary for the Purchase of a Replacement Data Center Uninterruptible Power Supply (UPS)

The purpose of this Capital Improvement Program project is to replace the County's current data center UPS, which is 23 years old and reaching the end of its useful life and capacity. The current UPS is a 30kVA unit that is running at 94% of capacity. The configured replacement UPS will be configured to be a 60kVA system with built-in redundancy.

The purchase includes the following:

- Gamatronic Power+ RM100 UPS system, initially configured for 60kVA capacity and capable of 100kVA capacity with retrofitting. (\$60,970);
- TVSS in-line Power Surge Protector (\$2,125), and
- 7x24 Installation Startup (\$1,650).

The total cost for the replacement UPS is \$67,745.

The County can expect a useful life of more than 10 years for this UPS system, requiring battery replacements every 4-5 years.

The sole provider for the Gamatronic Power+ UPS system in Wisconsin is Quality Power Solutions of Madison.



Replacement UPS 1/10/2012



December 30, 2011

Rock County Atten: Mickey Crittenden 3530 Parker Dr. Janesville, WI 53547

Dear Mr. Crittenden

I have received a request to send this communication stating the market channel for the Gamatronic line of UPS products.

MaxPower Corporation distributes the Gamatronic line of UPS products in the US through a network of exclusive distributors. The exclusive distributor for Gamatronic products in Wisconsin is Quality Power Solutions, located in Madison, WI.

All requests for Gamatronic products received by MaxPower, for purchase or use in Wisconsin, are referred to Quality Power Solutions.

Best Regards

Bob Lyga

Bob Lyga
Gamatronic Senior Product Manager
MaxPower Corporation