Name:
Address:

Bjoin Limestone INC.

City/State/Zip:

Janesville WI 53548

Telephone: E-mail: tracy @ bjointimestone. com

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

PIT / QUARRY LOCATION: A DUNISHINE

Item Description	Item Description WisDOT Certified Material Meets WisDOT Specifica		Specifications		
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand					
Fill Sand					
Mason Sand	E-1				
Pea Gravel					
Bank Run Gravel					
Crushed Road Gravel					
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		V		7. 2/ton
3/4" Crushed Limestone (Dense)			V		4.75/ton
7/8" Crushed Limestone (Dense)			V		4.75 / ton
1-1/4" Crushed Limestone (Dense)					4.75/ton
3" Crushed Limestone (Dense)	~				4.75/ton
3/4" Crushed Limestone (Open)					(0.00/ton
7/8" Crushed Limestone (Open)			~		600/ton
1-1/4" Crushed Limestone (Open)					6.00/ ton
3" Crushed Limestone (Open)					6.00/ton
Shot Rock	2		V		5.00/ton
Rip Rap (Light, 16" Max.)					41.00/ton
Rip Rap (Medium, 20" Max.)	~	54,4 ₀			41.00/ton
Rip Rap (Heavy 25" Max.)		77	1		41.00/100
Rip Rap (Extra Heavy, 30" Max.)					4100/ton
Topsoil		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			
Shedded Topsoil					

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

Name:	Corporate Contractors Inc.
Address:	2175 Town Hall Rd
City/State/Zip:	Beloit WI 53911
Telephone:	608-362-0007
E-maii:	Sara ward recivillom

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

PIT QUARRY LOCATION: 2175 Town Hall Rd Beloit

Item Description	WisDOT Cert	ified Material	Meets WisDO	Specifications	Unit Price
	Yes	No.	Yes	No	(\$/Ton)
Sanding Sand					X
Fill Sand					×
Mason Sand					×
Pea Gravel		,		er transfer of a harmonic and and other services	X
Bank Run Gravel		t inner			X
Crushed Road Gravel				шилири	X
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)		oter de kiene in in in de de de la esta men	Particle (1997) of the second of the second		X
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)	· V		~		\$7.30
3/4" Crushed Limestone (Dense)	~	an takan atau mang kebelahan mering	V		\$ 5-60
7/8" Crushed Limestone (Dense)			The state of the s		×
1-1/4" Crushed Limestone (Dense)	V				\$ 5.00
3" Crushed Limestone (Dense)	V				\$ 5.00
3/4" Crushed Limestone (Open)	 		<i>V</i>	e proprieda en	\$ 7.30
7/8" Crushed Limestone (Open) NA	`				<u> </u>
1-1/4" Crushed Limestone (Open)	V		V		\$7.00
3" Crushed Limestone (Open)	V				₹ 7.00
Shot Rock		eneral de la companya de la company		is and particles was expected to the s	\$ 3.50
Rip Rap (Light, 16" Max.) \sim / A					X
Rip Rap (Medium, 20" Max.)					**************************************
Rip Rap (Heavy 25" Max.)					\$ 17.00
Rip Rap (Extra Heavy, 30" Max.) N/A		111111111111111111111111111111111111111	· · · · · · · · · · · · · · · · · · ·		\$ 19.00 ×
Topsoil - Field Run		record of the second second second second			SI C AA
Shedded Topsoil					\$ q.00
					X

Item Description	on Material	Unit Price (S/Load)
Tipping Fee	Asphalt Millings	130.00
Tipping Fee	Asphalt Broken	4 30.00
Tipping Fee	Concrete Millings	00.05 &
Tipping Fee	Concrete Broken (w/ Steel Reinforcing) Minimal	3 30.00
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	\$ 30.00
Tipping Fee	Spoil	# 30.00
Tipping Fee	Topsoil - Clean	Free

Name:	FOOTVILLE ROCK & LIME CORP	
Address:	14249 W DORNER RO	
City/State/Zip:	BRODHERD WI 53520	
Telephone:	608-876-6608	
E-mail:	aglinea litewire, net	

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

PIT / QUARRY LOCATION: 14249 W DOLNEX ROAD

Item Description	WisDOT Certified Material		Meets WisDOT Specifications		Unit Priće	
	Yes	No	Yes	No	(\$/Ton)	
Sanding Sand						
Fill Sand						
Mason Sand						
Pea Gravel						
Bank Run Gravel						
Crushed Road Gravel						
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)		Contraction and Contraction an				
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)						
3/4" Crushed Limestone (Dense)						
7/8" Crushed Limestone (Dense)						
1-1/4" Crushed Limestone (Dense)						
3" Crushed Limestone (Dense)						
3/4" Crushed Limestone (Open)			X		\$ 4.85	
7/8" Crushed Limestone (Open)						
1-1/4" Crushed Limestone (Open)			X		\$ 4.85	
3" Crushed Limestone (Open)		Daniel Company	X		\$ 4,85	
Shot Rock					\$ 4.85 \$ 4.85 \$ 4.85 \$ 3.60	
Rip Rap (Light, 16" Max.)						
Rip Rap (Medium, 20" Max.)						
Rip Rap (Heavy 25" Max.)						
Rip Rap (Extra Heavy, 30" Max.)						
Topsoil						
Shedded Topsoil						

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

Name:	Frank Bros., Inc.	
Address:	2501 Morse Street	
City/State/Zip:	Janesville, WI 53545	
Telephone:	608-754-5330	
E-mail:	terrih@frankbros.net	

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

PIT / QUARRY LOCATION: Milton, WI

Item Description	(4) 2006年1月1日 (1986年1月日) (1986年1月) (1986年1月) (1986年1月) (1986年1月日) (1986年1月年1月日) (1986年1月) (1986年1月) (1986年1月) (1986年1月) (1986年1月) (1986年1月)	Meets WisDOT Specifications	
	Yes No	Yes No	(\$/Ton)
Sanding Sand	X	X	\$ 3,25
Fill Sand	χ	*	\$ 3.25
Mason Sand	×	×	\$ 5,00
Pea Gravel	X	X	\$ 5.00
Bank Run Gravel	X X	X	* 3. °°
Crushed Road Gravel	X	×	\$ 5. 25
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)	Х	х	g 10. w
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)	X	Х	7, 25
3/4" Crushed Limestone (Dense)	×	χ	5,25
7/8" Crushed Limestone (Dense)	×	X	5.25
1-1/4" Crushed Limestone (Dense)	X	X	5.25
3" Crushed Limestone (Dense)	X	×	5. 25
3/4" Crushed Limestone (Open)	X	y l	6.75
7/8" Crushed Limestone (Open)	X	X	6,75
1-1/4" Crushed Limestone (Open)	X	X	6.75
3" Crushed Limestone (Open)	/ς	Х	6.75
Shot Rock	X	<i>*</i>	\$ 15.00
Rip Rap (Light, 16" Max.)	X	X	1800
Rip Rap (Medium, 20" Max.)	Х	X	18.00
Rip Rap (Heavy 25" Max.)	χ	x	20.00
Rip Rap (Extra Heavy, 30" Max.)	X	ў	22.00
Topsoil	X	Х	9. 00
Shedded Topsoil	×	X	16,00

Item Description	Matérial (Unit Price (\$/Load)
11	Asphalt Millings	\$ 40
Tipping Fee	Asphalt Broken	\$ 40
Tipping Fee	Concrete Millings	# 40
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	\$ 60
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	# 60
Tipping Fee	Spoil	ø 40
Tipping Fee	Topsoil	0

Name:

FRANK SILHA & SONS EXCAVATING., INC.

Address:

348 N. HWY 14

City/State/Zip:

JANESVILLE, WI 53546

Telephone:

(608) 752-4322

E-mail:

dlsilha@silhaexcavation.com

PIT / QUARRY LOCATION: CRONIN PIT - 1204 S. COUNTY ROAD J

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

Item Description	WisDOT Co	rtified Material	Meets WisDOT	Specifications	Unit Price
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand	X		X		5.00
Fill Sand	X		X		4.00
Mason Sand	X		X		9.00
Pea Gravel	X		X		6.00
Bank Run Gravel	X		X		3.50
Crushed Road Gravel	Х		X		4.75
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/8" Stone Chips 95% (with Minimum 70% Fractured Surfaces)	X		X		18.00
3/4" Crushed Limestone (Dense)					The second se
7/8" Crushed Limestone (Dense)					
1-1/4" Crushed Limestone (Dense)					announce (, m, v)). Spring chicken allowed controlled the foreign properties and controlled (, v) and
3" Crushed Limestone (Dense)					
3/4" Crushed Limestone (Open)					
7/8" Crushed Limestone (Open)					
1-1/4" Crushed Limestone (Open)					A 14
3" Crushed Limestone (Open)					·
Shot Rock					
Rip Rap (Light, 16" Max.)	X		X		22.50
Rip Rap (Medîum, 20" Max.)					
Rip Rap (Heavy 25" Max.)	X		X		22.50
Rip Rap (Extra Heavy, 30" Max.)	X		X		22.50
Topsoil		1404 10 1904-100-100-100-100-100-100-100-100-100-1			13.50
Shedded Topsoil					18.75

Item Description	Material	Unit Price (\$/ Load) TON
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	1.00/TON
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	3.50/TON
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	3.00/TON
Tipping Fee	Spoil	1.50/TON
Tipping Fee	Topsoil	1.00/TON

Name:

FRANK SILHA & SONS EXCAVATING., INC.

Address:

348 N. HIGHWAY 14

City/State/Zip:

JANESVILLE, WI 53546

Telephone:

(608) 752-4322

E-mail:

dlsilha@silhaexcavation.com

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

PIT / QUARRY LOCATION: GUNN PIT - 3409 TRACEY ROAD

Item Description	WisDOT Co	ertified Material	Meets WisDOT Specifications		Unit Price
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand					
Fill Sand					
Mason Sand					
Pea Gravel					
Bank Run Gravel					
Crushed Road Gravel					
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/4" Crushed Limestone (Dense)					
7/8" Crushed Limestone (Dense)					Manufacture Manufa
1-1/4" Crushed Limestone (Dense)	Х		X		5.50
3" Crushed Limestone (Dense)	X		X		5.50
3/4" Crushed Limestone (Open)					
7/8" Crushed Limestone (Open)			processor to the territory of the state of t		
1-1/4" Crushed Limestone (Open)					-
3" Crushed Limestone (Open)					
Shot Rock					
Rip Rap (Light, 16" Max.)	X		X	V	18.50
Rip Rap (Medium, 20" Max.)					
Rip Rap (Heavy 25" Max.)	X		X		18.50
Rip Rap (Extra Heavy, 30" Max.)					
Topsoil					
Shedded Topsoil					The second secon

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	
Tipping Fee	Spoil	
Tipping Fee	Topsoil	The second secon

Name:	JANESVILLE SAND + GRAVEL CO.
Address:	P.O. BOX 427
City/State/Zip:	JANESVILLE, WI 53547
Telephone:	(608) 754-7701
E-mail:	dmstevens@lyconing.com

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

PIT/QUARRY LOCATION: 525 BLACKBRIDGE ROAD, JANESVILLE

Item Description	WisDOT Cer	tified Material	Meets WisDO	OT Specifications	Unit Price	
	Yes	No	Yes	No	(\$/Ton)	
Sanding Sand	V		/		₹3 ,00	
Fill Sand	V		/		\$4.50	
Mason Sand	V	TOTAL PROPERTY AND PROPERTY OF THE PROPERTY OF	/		\$11.00	
Pea Gravel	V		~		\$ 7.50	
Bank Run Gravel						
Crushed Road Gravel	De transport and the control of the	WATER STREET				
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)						
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)						
3/4" Crushed Limestone (Dense)						
7/8" Crushed Limestone (Dense)						
1-1/4" Crushed Limestone (Dense)						
3" Crushed Limestone (Dense)		Notes personal resources and a second				
3/4" Crushed Limestone (Open)					11111	
7/8" Crushed Limestone (Open)						
1-1/4" Crushed Limestone (Open)						
3" Crushed Limestone (Open)		many title, y també , demonstra de mandre de la cidade de la compa				
Shot Rock						
Rip Rap (Light, 16" Max.)						
Rip Rap (Medium, 20" Max.)						
Rip Rap (Heavy 25" Max.)						
Rip Rap (Extra Heavy, 30" Max.)						
Topsoil .					. 1	
Shedded Topsoil						

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	\$70.00
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

2018 QUOTATION - Aggregate Materia	l & Tipping Fees
Name: Little Limestone Inc Address: 8609 E. Little Cn City/State/Zip: Clinton, WI 53525 Telephone: 608-676-5166 E-mail: Likewason 26 Chot mail. com PIT/QUARRY LOCATION: Clinton, WI	Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

Item Description	WisDOT Cert	tified Material	Meets WisDOT	Specifications	Unit Price
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand					NA
Fill Sand		<u> </u>		×	\$4.00
Mason Sand					NA
Pea Gravel					NA
Bank Run Gravel					NA
Crushed Road Gravel					ÑΑ
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)		X		X	\$6.85
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)		*		×	\$6.95
3/4" Crushed Limestone (Dense)		×	X		# 5.25
7/8" Crushed Limestone (Dense)		<u> </u>			\$ 5.25
1-1/4" Crushed Limestone (Dense)		X	X		\$ 5.25
3" Crushed Limestone (Dense)		4			\$5.25
3/4" Crushed Limestone (Open)		1		\prec	\$6.85
7/8" Crushed Limestone (Open)		<u>×</u>		×	#6.85
1-1/4" Crushed Limestone (Open)		<u> </u>		\times	\$6.85
3" Crushed Limestone (Open)		×	X		\$6.85
Shot Rock		X		メ	\$12.00
Rip Rap (Light, 16" Max.)					NA
Rip Rap (Medium, 20" Max.)					NA
Rip Rap (Heavy 25" Max.)					ΝA
Rip Rap (Extra Heavy, 30 st Max.)					$\mathcal{N}A$
Topsoil		X		*	#9.00
Shedded Topsoil		\wedge		X	\$13.00

Item Description	Material	Unit Price (\$/Load)
Tipping Fee \$ 10	Asphalt Millings	\$6,85/Ton
Tipping Fee \$ 10	Asphalt Broken	L. <i>W</i> A
Tipping Fee #40	Concrete Millings	\$5.25/Ton
Tipping Fee # 40 - \$ 100	Concrete Broken (w/ Steel Reinforcing)	N A'
Tipping Fee \$40	Concrete Broken (w/o Steel Reinforcing)	N A
Tipping Fee \$40	Spoil	NA
Tipping Fee #0-#40	Topsoil	\$9.00/Ton

Name:	
Address:	
المسترقة المستر	America

Rock Road Companies, Inc. P.O. Box 1818

City/State/Zip:

Janesville, WI 53547-1818

Telephone: E-mail: 608-752-8944 bids@rockroads.com Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

PIT / QUARRY LOCATION: Lathers Pit

Item Description	WisDOT Ce	rtified Material	Meets WisDOT Specifications		Unit Price
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand	X		X		\$6.85
FIII Sand	X		X		\$2.40
Mason Sand	X		X		\$12.00
Pea Gravel					
Bank Run Gravel					
Crushed Road Gravel	X		X		\$5.00
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)	X		X		\$18.75
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)	X		X		\$18.75
3/4" Crushed Limestone (Dense)					
7/8" Crushed Limestone (Dense)					
1-1/4" Crushed Limestone (Dense)					
3" Crushed Limestone (Dense)					
3/4" Crushed Limestone (Open)					
7/8" Crushed Limestone (Open)					
1-1/4" Crushed Limestone (Open)					
3" Crushed Limestone (Open)					
Shot Rock					
Rip Rap (Light, 16" Max.)					
Rip Rap (Medium, 20" Max.)					
Rip Rap (Heavy 25" Max.)					
Rip Rap (Extra Heavy, 30" Max.)					
Topsoil					
Shedded Topsoil					

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	\$47.00
Tipping Fee	Asphalt Broken	\$47.00
Tipping Fee	Concrete Millings	\$47.00
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	\$47.00
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	\$47.00
Tipping Fee	Spoil	\$47.00
Tipping Fee	Topsoil	\$47.00

Na	me:
Ad	dress:
Cit	v/State/Zio

Rock Road Companies, Inc.

P.O. Box 1818

City/State/Zip: Telephone: Janesville, WI 53547-1818

608-752-8944

E-mail: bids@rockroads.com

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

PIT / QUARRY LOCATION: Van Allen Quarry

Item Description	WisDOT Cer	rtified Material	Meets WisDOT Specifications		Unit Price
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand					
Fill Sand					
Mason Sand					
Pea Gravel					
Bank Run Gravel					
Crushed Road Gravel					
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/4" Crushed Limestone (Dense)	X		X		\$5.75
7/8" Crushed Limestone (Dense)	X		X		\$5.75
1-1/4" Crushed Limestone (Dense)	X		X		\$5.75
3" Crushed Limestone (Dense)	X		X		\$5.75
3/4" Crushed Limestone (Open)	X		X		\$10.00
7/8" Crushed Limestone (Open)	X		X		\$10.00
1-1/4" Crushed Limestone (Open)	X		X		\$7.00
3" Crushed Limestone (Open)	X		X		\$7.00
Shot Rock	X		X		\$10.00
Rip Rap (Light, 16" Max.)	X		X		\$19.00
Rip Rap (Medium, 20" Max.)	X		X		\$19.00
Rip Rap (Heavy 25" Max.)	X		X		\$21.00
Rip Rap (Extra Heavy, 30" Max.)	X		X		\$25.00
Topsoil					
Shedded Topsoil					

ltern Description	Material Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

Name:	Rock Road Companies, Inc.
Address:	P.O. Box 1818
City/State/Zip:	Janesville, WI 53547-1818
Telephone:	608-752-8944
F-mail:	bids@rockroads.com

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

PIT / QUARRY LOCATION: Hurd Pit

Item Description	WisDOT Certified Material		Meets WisD	OT Specifications	Unit Price
	Yes	No	Yes	No .	(\$/Ton)
Sanding Sand	X		X		\$8.50
Fill Sand	X		X		\$3.50
Mason Sand					
Pea Gravel					
Bank Run Gravel					
Crushed Road Gravel	X		X		\$6.50
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/4" Crushed Limestone (Dense)					
7/8" Crushed Limestone (Dense)					
1-1/4" Crushed Limestone (Dense)					
3" Crushed Limestone (Dense)					
3/4" Crushed Limestone (Open)					
7/8" Crushed Limestone (Open)					
1-1/4" Crushed Limestone (Open)					
3" Crushed Limestone (Open)					
Shot Rock					
Rip Rap (Light, 16" Max.)					
Rip Rap (Medium, 20" Max.)					
Rip Rap (Heavy 25" Max.)					
Rip Rap (Extra Heavy, 30" Max.)					
Topsoil					
Shedded Topsolf					, A.V.

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	- Control of the Cont
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	•
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

Name: Address: Rock Road Companies, Inc.

City/State/Zip:

P.O. Box 1818

Telephone:

E-mail:

Janesville, WI 53547-1818 608-752-8944

bids@rockroads.com

PIT / QUARRY LOCATION: Townline Pit

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

Item Description	WisDOT Cer	tified Material	Meets WisDOT Specifications		Unit Price
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand	X		X		\$6.85
Fill Sand	X		X		\$2.40
Mason Sand					
Pea Gravel / 60% Fracture	X		X		\$7.60 / \$12.75
Bank Run Gravel	X		X		\$2.35
Crushed Road Gravel Concrete	X		X		\$5.60
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/4" Crushed Limestone (Dense)					
7/8" Crushed Limestone (Dense)					
1-1/4" Crushed Limestone (Dense)					
3" Crushed Limestone (Dense)					
3/4" Crushed Limestone (Open)				***************************************	
7/8" Crushed Limestone (Open)					14
1-1/4" Crushed Limestone (Open)					N ^{arr} - 1, 100 (100 (100 (100 (100 (100 (100 (1
3" Crushed Limestone (Open)					
Shot Rock				and the second s	
Rip Rap (Light, 16" Max.)					Amerikania katawa k
Rip Rap (Medium, 20" Max.)					
Rip Rap (Heavy 25" Max.)					
Rip Rap (Extra Heavy, 30" Max.)					
Topsoil	X	anno por municipa a monera planta la mandala de servicio se conse	X		\$20.00
Shedded Topsoil	X		X		\$30.00

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	\$45.00
Tipping Fee	Asphalt Broken	\$45.00
The state of the s	Concrete Millings	\$45.00
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	N/A
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	\$45.00
Tipping Fee	Spoil	\$45.00
Tipping Fee	Topsoil	\$45.00

Name:	RUAN FARM OVARTIES
Address:	13.566 La Brandh Fram Rd
City/State/Zip:	BELOIT WI 53511
Telephone:	608-289-2891
E-mail:	Byon Tarm OVATRY @ Wild bluE . NET

Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)

PIT / QUARRY LOCATION: 12726 W STATE Rd 81

Item Description	WisDOT Certified Material		Meets WisDOT Specifications		Unit Price
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand					
Fill Sand					
Mason Sand					
Pea Gravel					
Bank Run Gravel					
Crushed Road Gravel					
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/4" Crushed Limestone (Dense)			7.40 prys		7.40 mg
7/8" Crushed Limestone (Dense)			1		7.40 yd 7.40 yd 7.40 yd
1-1/4" Crushed Limestone (Dense)			7.40 pry		7.40rd
3" Crushed Limestone (Dense)			7.40 pryl		7.40 ud
3/4" Crushed Limestone (Open)			8.50 myl		8.50 al
7/8" Crushed Limestone (Open)			0		<i>y</i> ,
1-1/4" Crushed Limestone (Open)					
3" Crushed Limestone (Open)			8,50 pr yo		8.50 red
Shot Rock			8,50 pryd 4,75 pryd		8.50 gd 4.75 ph yl
Rip Rap (Light, 16" Max.)			, 0		
Rip Rap (Medium, 20" Max.)					
Rip Rap (Heavy 25" Max.)					
Rip Rap (Extra Heavy, 30" Max.)					3
Topsoil					
Shedded Topsoil					

ltem Description	Material	Unit Price (\$/Load)
Tipping Fee acut o	Asphalt Millings acest	no Foc
Tipping Fee C	Asphalt Broken dest	96 Fee
Tipping Fee	Concrete Millings acent	No Fee
Tipping Fee	Concrete Broken (w/ Steel Reinforcing) Call Fust	20per Id
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	20 m 25
Tipping Fee Ø	Spoil acept	No Fee
Tipping Fee	Topsoil acept	The Fee

FRIDAY, M. 12:00 p				nittal Deadline: arch 23, 2018 om (noon)	
PIT / QUARRY LOCATION:	WARDER	W.			
item Description	WisDOT Certified Material Yes No	Meets WisDOT Specifi	cations No	Unit Price (\$/Ton)	
Sanding Sand	Tes No	les			
Fill Sand	X				
Mason Sand					
Pea Gravel	1 Q				
Bank Run Gravel					
Crushed Road Gravel					
5/16" Stone Chips					
(with Minimum 70% Fractured Surfaces)					
3/8" Stone Chips		X		7001	1-A
(with Minimum 70% Fractured Surfaces)					JOV
3/4" Crushed Limestone (Dense)		\times		5 30	
7/8" Crushed Limestone (Dense)		X		6.50	
1-1/4" Crushed Limestone (Dense)		X		630	
3" Crushed Limestone (Dense)		X		-680 I	R.
3/4" Crushed Limestone (Open)		X		フシ	Jay
7/8" Crushed Limestone (Open)		X		7 06	to
1-1/4" Crushed Limestone (Open)		\times		700	ter
3" Crushed Limestone (Open)		X		709	Iv
Shot Rock		X		20	
Rip Rap (Light, 16" Max.)		X		26	
Rip Rap (Medium, 20" Max.)		X		70.	4
Rip Rap (Heavy 25" Max.)		X		-20	J
Rip Rap (Extra Heavy, 30" Max.)		X		20	
Topsoil		The state of the s	VIII COLUMN DER COLUMN	2.5	
Shedded Topsoil		X		20%	60
Item Description	<u>.</u>	laterial		Unit Price (\$/Load)	1
Tipping Fee	Asphalt Millings			Ø	
Tipping Fee	Asphalt Broken			05	
Tipping Fee	Concrete Millings			700	
Tipping Fee	Concrete Broken (w/ Steel Re	einforcing)	20	#H	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)				
Tipping Fee	Spoil NO				
· · · · · · · · · · · · · · · · · · ·					ši.

AV2

Topsoil

Tipping Fee

	2018 QUOTATION - Ready Mix Co.	ncrete
Name: Address: City/State/Zip: Telephone: E-mail:	LYCON INC. P.O.BOX 427 JANESVILLE, WI 53547 (608) 754-7701 dmstevens Clyconiac. com	Quote Submittal Deadline: FRIDAY, March 23, 2018 12:00 pm (noon)
PLANT LOCAT	ION: 1110 HARDING STREET, JANESVILLE	

ltem Description	WisDOT Certified Material		Meets WisDOT Specifications			
	Yes	::No	Yes	No	(\$/CY)	
5 Bag Mix				·		
5-1/2 Bag Mix	·					
6 Bag Mix						
9 Bag Mix					·	
10 Bag Mix						
Fiberglass Reinforcement						
2% Calcium						
Minimum Load / Purchase Charge						
SEE ATTACHED QUOTATION						
SEE ATTACHED QUOTATION FOR PROPOSAL						



LYCON INC.

1110 Harding Street | P.O. Box 427 | Janesville, WI 53547-0427 (608) 754-7701 | (800) 262-8604 | (608) 754-8555 fax | www.lyconinc.com

Duane Jorgenson Rock Co. Hwy Dept. 3715 Newville Rd. Janesville, WI 53545

Project:

2018 Price List

Rock County

QUOTATION

Date	Terms	Job Number Quote #
03/20/18	Net/30	QTEQ23063

MIX	PSI	Description	Unit Price	UOM
		READY MIX	AMERICAN COMPANY OF A STREET, MANAGER COMPANY OF A STREET, AND A STREET,	1015 mg/s grow 625-567-1460 20310
	3000	5.0 Bag-AIR ENTRAINED CONCRETE	\$111.00	CŸ
	3500	5.5 Bag-AIR ENTRAINED CONCRETE	\$113.50	CY
	4000	6.0 Bag-AIR ENTRAINED CONCRETE	\$116.00	CY
	5000	9.0 Bag-AIR ENTRAINED CONCRETE	\$131.00	CY
	5000	10.0 Bag-AIR ENTRAINED CONCRETE	\$136.00	CY
	4000	Grade AFA-AIR ENTRAINED CONCRETE	\$118.40	CY
	5000	Grade CFA-AIR ENTRAINED CONCRETE	\$123.80	CY
		ADDITIONS		
NCL		2% NON CHLORIDE ACCELERATOR	\$18.00	CY
		WISCONSIN DOT RED COLORING ADMIXTURE	\$80.00	CY
		ICE - PER POUND	\$0.75	LB
		HEATED CONCRETE (NOV. 1 - APRIL 15)	\$8.00	CY
		NIGHT PLANT OPERATING FEE (7 PM - 5 AM)	\$500.00	HOUR
		NIGHT DELIVERY FEE (7 PM - 9 PM & 3 AM - 5 AM)	\$30.00	CY
		NIGHT DELIVERY FEE (9 PM - 3 AM)	\$95.00	CY
		SATURDAY DELIVERY (8 AM - NOON)	\$8.00	CY
		SATURDAY DELIVERY (NOON - 4 PM)	\$30.00	CY
		SAT. NIGHT, SUNDAY, SÙNDAY NIGHT, HOLIDAYS - NO	·	
	140	DELIVERY		
		PART LOAD CHARGE (excluding finish ups) 1-4 YDS	\$100.00	LOAD

SALES TAX NOT INCLUDED. PRICES ARE F.O.B. JOBSITE. THIS QUOTATION EXPIRES 14 DAYS FROM THE DATE HEREOF AND IS SUBJECT TO APPROVAL OF OUR CREDIT DEPARTMENT.

ACCEPTED BY:

SUBMITTED B

DATE

DATE

|3|20|18

LYCON INC. - PURCHASE ORDER GENERAL TERMS AND CONDITIONS

This contract between LYCON Inc. (LYCON) and Customer consists in its entirety of the terms and conditions consisting of the Quotation Sheet and General Terms and Conditions in lieu of all others, and supersedes all previous communication, representations or agreements, either oral or written, between the parties hereto. This quotation must be signed by an authorized representative of your company and returned to LYCON within thirty (30) days of the quotation date. All sales made by LYCON Inc. are subject to these General Terms and Conditions of Sale, and if buying on credit, to Customer's credit agreement with LYCON, incorporated herein by reference.

No modifications of this contract or quote shall be affected by Customer's purchase order forms or other documents containing terms or conditions different from or in addition to those contained herein. Any modification, amendment or change to these General Terms and Conditions of Sale must be agreed to in writing signed by both parties specifically referring to the contract or quote.

- 1. Prices quoted by LYCON shall be in effect for thirty (30) days from the date of quotation, and may be subject to change thereafter.
- 2. Quotations are based on making deliveries of material during LYCON's normal delivery hours. Additional charges may apply for deliveries outside of those hours and for any waiting/unloading periods in excess of 10 minutes. Orders of less than one yard will be billed as a full yard. Orders of less than five yards may have a minimum load charge. Unnecessary trips and split loads are also subject to additional charges.
- 3. Payment is due in full within thirty (30) days of invoice. Accounts over 30 days past due are subject to a service charge of one and one-half percent (1.5%) per month.
- 4. All payments made on an invoice amount will be applied to the oldest outstanding invoice for Customer unless specific written reference is made to a property address, invoice number or job description adequate to identify the proper invoice to be paid.
- 5. Customer shall be liable to pay all collection costs including, but not limited to, mediation, court costs and reasonable attorney's fees. Customer agrees this Contract will be governed by the laws of the State of Wisconsin. Customer agrees that any litigation that may be brought regarding the enforcement of this Contract or the rights, duties or obligations under this Agreement shall be brought exclusively in the State court sitting in Rock County Wisconsin or the Federal courts sitting in Madison, Dane County, Wisconsin.
- 6. Customer shall provide suitable approaches to ready-mixed concrete discharge points at jobsites. LYCON is not liable for any damage incurred if Customer requests that a LYCON Inc. delivery truck move past the curb line or right of way limits. Customer shall assume all liability for damage to persons or property, including, without limitation, property of Customer, LYCON or third parties, which occurs in connection with Customer's breach of this obligation.
- 7. Customer shall provide and maintain at Customer's expense insurance coverage for comprehensive general liability, casualty and property damage in a form, amounts and with a carrier satisfactory to LYCON and, when required, to arrange for a certificate of Insurance to be issued to LYCON from the carrier, which shall name LYCON as an additional insured on all insurance and shall include clauses providing that the insurance shall not be canceled or reduced without 30 days advance notice to LYCON.
- 8. Tests for slump, unit weight and air content shall be made in accordance with procedures listed in the current American Society for Testing Materials Standard Specifications C94 by ACI certified field inspectors or their equivalent. Any rejection of ready-mixed concrete on the basis of deviations in slump or in air content from limits designated in this contract shall be at the time of delivery. Acceptance of delivery by the Customer shall constitute waiver of any claim.
- 9. Customer is solely responsible for determining the type and quantity of materials to be purchased.
- 10. LYCON produces concrete in accordance with the A.S.T.M. specifications for ready-mix concrete. LYCON warrants to Customer that at the time of delivery the goods sold hereunder will conform substantially to the description on the face hereof. LYCON does not guarantee finished results obtained from the in-place product, as many factors affecting the ultimate quality of the completed job are out of LYCON's control. LYCON's liability and Customer's remedy under this warranty are limited at our discretion to replacement of delivered ready-mixed concrete only, or to a refund of the purchase price, or, if not paid, to a credit in the amount of the purchase price.
- 11. LYCON does not, under any circumstances, warrant the performance of concrete which: a) has water and/or chemicals added to it at the delivery site; b) is not adequately cured; c) is improperly handled and/or finished; or d) as ordered by the Customer is not suitable for the intended project.
- 12. THE FOREGOING WARRANTIES ARE EXCLUSIVE AND ARE GIVEN AND ACCEPTED IN LIEU OF ANY AND ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTY OF MERCHANTABILITY AND THE IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE.
- 13. LYCON shall not be liable for any delays in filling of an order when caused by accident to machinery, differences with workmen, strikes, labor shortage, fires, floods, priorities requested or required by Federal or State government, delays in transportation or lack of transportation facilities, restrictions imposed by Federal or State legislation or any other cause beyond the control of LYCON.
- 14. The remedies of Customer for any breach of warranty shall be limited to those provided herein. No agreement varying or extending the foregoing warranties, remedies, or limitations will be binding upon LYCON unless in writing, signed by a duly authorized officer of LYCON.