Name:

BJOIN LIMESTONE INC.

Address:

7308 W. STATE ROAD 11

City/State/Zip: JANESVILLE, WI 53548

Telephone:

608-876-6959

E-mail:

info@bjoinlimestone.com

Quote Submittal Deadline: Wednesday, March 20, 2019 12:00 pm (noon)

PIT / QUARRY LOCATION: 7308 W. State Road 11 Janesville, WI

Item Description	WisDOT Cer	tified Material	Meets WisDOT Specifications		Unit Price
The production of the second o	Yes	No	Yes	No	(\$/Ton)
Sanding Sand					
Fill Sand					
Mason Sand					
Pea Gravel					
Bank Run Gravel					
Crushed Road Gravel					
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)		2			
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)	Х		х		\$7.00 / TON
3/4" Crushed Limestone (Dense)	х		Х		\$4.75 / TON
7/8" Crushed Limestone (Dense)					
1-1/4" Crushed Limestone (Dense)	Х		х		\$4.75 / TON
3" Crushed Limestone (Dense)	X		х		\$4.75 / TON
3/4" Crushed Limestone (Open)	Х		х		\$600 / TON
7/8" Crushed Limestone (Open)			·		2 - 1.
1-1/4" Crushed Limestone (Open) - 1 1/2"	Х		х		\$6.00 / TON
3" Crushed Limestone (Open)	Х		X		\$6.00 / TON
Shot Rock	Х		х		\$5.00 / TON
Rip Rap (Light, 16" Max.)	Х		Х		\$41.00 / TON
Rip Rap (Medium, 20" Max.)	Х		Х		\$41.00 / TON
Rip Rap (Heavy 25" Max.)	Х		Х		\$41.00 / TON
Rip Rap (Extra Heavy, 30" Max.)	Х		Х		\$41.00 / TON
Topsoil					
Shedded Topsoil					

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	
Tipping Fee	Spoil	
Tipping Fee	Topsoil	ř.

Name:	Corporate Contractors Inc.
Address:	2175 Town Hall Rd
City/State/Zip:	Beloit Wi 53511
Telephone:	(008-362-0007
E-mail:	gara. Ward e cciwi.com

Quote Submittal Deadline: Wednesday, March 20, 2019 12:00 pm (noon)

PIT/QUARRY LOCATION: 2175 Town Hall Rd Beloit

Item Description	WisDOT Certi	fied Material	Meets WisD	OT Specifications	Unit Price
and the second space of the second	Yes	No .	Yes	No	(\$/Ton)
Sanding Sand					
Fill Sand		4-10(4000 1000 1000 1000 1000 1000 1000 10			
Mason Sand					
Pea Gravel				mandang ang laga digentang mining a yang pandanang mananan	
Bank Run Gravel					
Crushed Road Gravel					
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)		,			
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/4" Crushed Limestone (Dense)			~		15.20
7/8" Crushed Limestone (Dense)					
1-1/4" Crushed Limestone (Dense)			V		45.20
3" Crushed Limestone (Dense)					45.20
3/4" Crushed Limestone (Open)					\$ 7.30
7/8" Crushed Limestone (Open)		According to the second			
1-1/4" Crushed Limestone (Open) 👌 "					\$7.00
3" Crushed Limestone (Open)					4 7.00
Shot Rock					
Rip Rap (Light, 16" Max.)	MATERIAL STREET, AT BANKSON, AS AN ARRANGE STREET, THE STREET, THE STREET, THE STREET, THE STREET, THE STREET,	/v			
Rip Rap (Medium, 20" Max.)					\$ 17.00
Rip Rap (Heavy 25" Max.)					\$19.00
Rip Rap (Extra Heavy, 30" Max.)					
Topsoil					
Shedded Topsoil					

ltem Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	\$ 30.00
Tipping Fee	Asphalt Broken	d 30.60
Tipping Fee	Concrete Millings	\$ 30.00
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	\$30.00
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

Name:	Frank Bros., Inc.	
Address:	2501 Morse Street	
City/State/Zip:	Janesville, WI 53545	
Telephone:	608-754-5330	
E-mail:	terrih@frankbros.net	

Quote Submittal Deadline: Wednesday, March 20, 2019 12:00 pm (noon)

PIT / QUARRY LOCATION: 5705 N. Milton Shopiere Rd, Milton

Item Description	WisDOT Certified Material		Meets WisDOT Specifications		
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand			Х		3.5
Fill Sand			Х		3.5
Mason Sand			Х		5
Pea Gravel			Х		5
Bank Run Gravel			Х		3
Crushed Road Gravel			Х		5.5
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)			X		11
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)			Х		9
3/4" Crushed Limestone (Dense)			Х		5.5
7/8" Crushed Limestone (Dense)			Х		5.75
1-1/4" Crushed Limestone (Dense)			Х		5.5
3" Crushed Limestone (Dense)			Х		5.5
3/4" Crushed Limestone (Open)			Х		7
7/8" Crushed Limestone (Open)			Х		7.25
1-1/4" Crushed Limestone (Open)			Х		7
3" Crushed Limestone (Open)			X		6.75
Shot Rock			Х	V	22
Rip Rap (Light, 16" Max.)			Х		22
Rip Rap (Medium, 20" Max.)			Х		22
Rip Rap (Heavy 25" Max.)			Х		22
Rip Rap (Extra Heavy, 30" Max.)			Х		22
Topsoil		and the second s	Х		9
Shedded Topsoil	and the second dec		Х		18

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	40
Tipping Fee	Asphalt Broken	40
Tipping Fee	Concrete Millings	40
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	70
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	60
Tipping Fee	Spoil	40
Tipping Fee	Topsoil	0

Name:

FRANK SILHA & SONS EXCAVATING., INC. 348 S. US. HWY 14

Address:

City/State/Zip: JANESVILLE, WI 53546

Telephone:

_(608) 752-4322

E-mail:

dlsilha@silhaexcavation.com

PIT / QUARRY LOCATION: GUNN PIT - 3409 TRACEY ROAD

Item Description	WisDOT Certified Material		Meets WisDOT Specifications		Unit Price
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand					
Fill Sand		112.00			
Mason Sand					
Pea Gravel					
Bank Run Gravel					
Crushed Road Gravel		-			72
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)			The second section of the second second section second sec		
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)				,	
3/4" Crushed Limestone (Dense)					
7/8" Crushed Limestone (Dense)					
1-1/4" Crushed Limestone (Dense)	X	-y <u>a</u>	X		5.75
3" Crushed Limestone (Dense)	X		X		5.75
3/4" Crushed Limestone (Open)					enced did allowed the first the last received a service of the last received by the last received and the last received by the last rec
7/8" Crushed Limestone (Open)		1- M.			
1-1/4" Crushed Limestone (Open)					
3" Crushed Limestone (Open)					
Shot Rock		and the second s			
Rip Rap (Light, 16" Max.)	X		X		18.50
Rip Rap (Medium, 20" Max.)				to me	
Rip Rap (Heavy 25" Max.)	X		X		18.50
Rip Rap (Extra Heavy, 30" Max.)					
Topsoil	, A				and the second s
Shedded Topsoil				100	

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

Name:

FRANK SILHA & SONS EXCAVATING., INC.

Address:

348 N. US HWY 14

City/State/Zip: <u>JANESVILLE</u>, WI 53546

Telephone:

(608) 752-4322

E-mail:

dlsilha@silhaexcavation.com

PIT / QUARRY LOCATION: CRONIN PIT - 1204 S. COUNTY RD J

Item Description	WisDOT Certified Material		Meets WisDOT Specifications		Unit Price
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand	X		X		5.25
Fill Sand	X		X		4.00
Mason Sand	X		X		9.50
Pea Gravel	X		X-		6.00
Bank Run Gravel	X		X		3.50
Crushed Road Gravel	X		X		5.00
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)			TO A STATE OF THE PARTY OF THE		
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)	X		X		18.50
3/4" Crushed Limestone (Dense)					1000 Marie Rei 1000 (1000 Marie Rei 1000 Marie Rei 1000 Marie Rei 1000
7/8" Crushed Limestone (Dense)					
1-1/4" Crushed Limestone (Dense)					
3" Crushed Limestone (Dense)					
3/4" Crushed Limestone (Open)				A STATE OF THE STA	
7/8" Crushed Limestone (Open)			,,,,,		
1-1/4" Crushed Limestone (Open)					
3" Crushed Limestone (Open)					
Shot Rock					
Rip Rap (Light, 16" Max.)	X		X		22.50
Rip Rap (Medium, 20" Max.)					
Rip Rap (Heavy 25" Max.)	X		X		22.50
Rip Rap (Extra Heavy, 30" Max.)	X		X		22.50
Topsoil					13.50
Shedded Topsoil					19.75

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	45.00
Tipping Fee	Asphalt Broken	45.00
Tipping Fee	Concrete Millings	45.00
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	80.00
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	70.00
Tipping Fee	Spoil	45.00
Tipping Fee	Topsoil	10.00

N	a	me	:
_	-	_	

FOOTVILLE ROCK & LIME CORP

Address:

14249 W DORNER ROAD

City/State/Zip: Telephone: BRODHEAD, WI 53520

E-mail:

608-876-6608 aglime@litewire.net

PIT / QUARRY LOCATION: 14249 W Dorner Road Brodhead

Item Description	WisDOT Certified Material		Meets WisDOTSpecifications		Unit Price
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand					
Fill Sand					
Mason Sand					
Pea Gravel				X	
Bank Run Gravel					
Crushed Road Gravel					
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)					
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)	Being Tested Soon		Yes		\$5.00
3/4" Crushed Limestone (Dense)	Being Tested Soon		Yes		\$5.00
7/8" Crushed Limestone (Dense)					
1-1/4" Crushed Limestone (Dense)					
3" Crushed Limestone (Dense)	Being Tested Soon		Yes		\$5.00
3/4" Crushed Limestone (Open)	Being Tested Soon		Yes		\$5.00
7/8" Crushed Limestone (Open)					
1-1/4" Crushed Limestone (Open)		,			
3" Crushed Limestone (Open)	Being Tested Soon		Yes		\$5.00
Shot Rock	Being Tested Soon	- Farm Translation	Yes	encomment and discharged specimens (15 to 15	\$3.60
Rip Rap (Light, 16" Max.)					
Rip Rap (Medium, 20" Max.)					
Rip Rap (Heavy 25" Max.)					
Rip Rap (Extra Heavy, 30" Max.)	# 200 TO THE RAY TO SEE THE TO				
Topsoil					
Shedded Topsoil					

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	The control of the Co
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

Name:	JANESVILLE SAND & GRAVEL CO.	
Address:	P.O. BOX 427	
City/State/Zip:	JANESVILLE, WI 53547	
Telephone:	(608)754-7701	
E-mail:	dmstevens Clyconing.com	

Quote Submittal Deadline: Wednesday, March 20, 2019 12:00 pm (noon)

PIT/QUARRY LOCATION: 525 BLACKBRIDGE ROAD, JAMESVILLE

Item Description	WisDOT Certified Material		Meets WisDOT Specifications		Unit Price	
	Yes	No	Yes	No	(\$/Ton)	
Sanding Sand	~		~		*3.20	
Fill Sand			V		*4.75	
Mason Sand					*12.00	
Pea Gravel			,,,		\$ 8,50	
Bank Run Gravel						
Crushed Road Gravel						
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)						
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)						
3/4" Crushed Limestone (Dense)						
7/8" Crushed Limestone (Dense)						
1-1/4" Crushed Limestone (Dense)						
3" Crushed Limestone (Dense)						
3/4" Crushed Limestone (Open)						
7/8" Crushed Limestone (Open)						
1-1/4" Crushed Limestone (Open)						
3" Crushed Limestone (Open)				404 x 11 x 10 x 10 x 10 x 10 x 10 x 10 x		
Shot Rock						
Rip Rap (Light, 16" Max.)						
Rip Rap (Medium, 20" Max.)	-					
Rip Rap (Heavy 25" Max.)						
Rip Rap (Extra Heavy, 30" Max.)			***			
Topsoil			-1			
Shedded Topsoil						

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	*80.°°
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

Little Limestone Inc	
8609 EZiHle Ln	
Clinton, WI 53525	
608-676-5/66	
1 Lkewadson 26 Chotmail. com	
	3609 EliHic Ln Clinton, WI 53525

PIT/QUARRY LOCATION: Little / Clinton, WZ

Item Description	WisDOT Certified Material		Meets WisDOT Specifications		Unit Price	
	Yes	No	Yes	No	(\$/Ton)	
Sanding Sand					NA	
Fill Sand		*		\times	\$4,00	
Mason Sand					NA	
Pea Gravel					NA	
Bank Run Gravel					NA	
Crushed Road Gravel					NA	
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)	×			×	#7.00	
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)	X			×	\$7,00	
3/4" Crushed Limestone (Dense)	×		メ	•	\$5.50	
7/8" Crushed Limestone (Dense)	:				NA	
1-1/4" Crushed Limestone (Dense)	X		×		\$5.50	
3" Crushed Limestone (Dense)	X		X		\$5,50	
3/4" Crushed Limestone (Open)	X			X	\$7.00	
7/8" Crushed Limestone (Open)	X			X	\$7,80	
1-1/4" Crushed Limestone (Open)	×			×	\$7,00	
3" Crushed Limestone (Open)	メ		X		\$7.00	
Shot Rock	X			X	#12.00	
Rip Rap (Light, 16" Max.)	×			X	\$8,25	
Rip Rap (Medium, 20" Max.)				-	NA	
Rip Rap (Heavy 25" Max.)					NA	
Rip Rap (Extra Heavy, 30" Max.)					NA	
Topsoil					# 9.00	
Shedded Topsoil			<u> </u>		\$13.00	

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	\$10
Tipping Fee	Asphalt Broken	1 10
Tipping Fee	Concrete Millings	1340
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	\$100
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	\$40
Tipping Fee	Spoil	#40
Tipping Fee	Topsoil	Call

Name:

Rock Road Companies, Inc. P.O. Box 1818

Address:

City/State/Zip: Janesville, WI 53547-1818

Telephone:

608-752-8944

E-mail:

bids@rockroads.com

PIT / QUARRY LOCATION: Hurd Pit

Item Description	WisDOT Certified Material		Meets WisDO	OT Specifications	Unit Price	
	Yes	No	Yes	No	(\$/Ton)	
Sanding Sand	х		Х		\$8.80	
Fill Sand						
Mason Sand						
Pea Gravel						
Bank Run Gravel						
Crushed Road Gravel	×		Х		\$6.75	
5/16" Stone Chips (with Minimum 70% Fractured Surfaces) 3/8" Stone Chips (with Minimum 70% Fractured Surfaces)						
3/4" Crushed Limestone (Dense)					1824 MACCOCK (S) CONTROL OF THE STATE OF STATE OF THE STA	
7/8" Crushed Limestone (Dense)						
1-1/4" Crushed Limestone (Dense)						
3" Crushed Limestone (Dense)						
3/4" Crushed Limestone (Open)						
7/8" Crushed Limestone (Open)						
1-1/4" Crushed Limestone (Open)						
3" Crushed Limestone (Open)						
Shot Rock						
Rip Rap (Light, 16" Max.)						
Rip Rap (Medium, 20" Max.)						
Rip Rap (Heavy 25" Max.)					-	
Rip Rap (Extra Heavy, 30" Max.)						
Topsoil						
Shedded Topsoil						

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

Rock Road Companies, Inc.

Address: P.O. Box 1818
City/State/Zip: Janesville, WI 53547-1818
Telephone: 608-752-8944
E-mail: bids@rockroads.com

Quote Submittal Deadline: Wednesday, March 20, 2019 12:00 pm (noon)

PIT / QUARRY LOCATION: Lathers Pit

Item Description	WisDOT Ce	WisDOT Certified Material		Meets WisDOT Specifications	
	Yes	No	Yes	No	(\$/Ton)
Sanding Sand	X		Х		\$6.85
Fill Sand	x		x		\$2.75
Mason Sand	X		x		\$14.00
Pea Gravel					
Bank Run Gravel					
Crushed Road Gravel	X		x		\$5.25
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)	х		x		\$19.00
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)	x		х		\$19.00
3/4" Crushed Limestone (Dense)					and the second s
7/8" Crushed Limestone (Dense)					
1-1/4" Crushed Limestone (Dense)					
3" Crushed Limestone (Dense)					
3/4" Crushed Limestone (Open)					
7/8" Crushed Limestone (Open)					
1-1/4" Crushed Limestone (Open)					
3" Crushed Limestone (Open)					
Shot Rock					
Rip Rap (Light, 16" Max.)					
Rip Rap (Medium, 20" Max.)					
Rip Rap (Heavy 25" Max.)					
Rip Rap (Extra Heavy, 30" Max.)					
Topsoil					
Shedded Topsoil					

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	\$47.00
Tipping Fee	Asphalt Broken	\$47.00
Tipping Fee	Concrete Millings	\$47.00
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	\$47.00
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	\$47.00
Tipping Fee	Spoil	\$47.00
Tipping Fee	Topsoi!	\$47,00

Name:

Rock Road Companies, Inc.

Address: P.O. Box 1818
City/State/Zip: Janesville, WI 53547-1818
608-752-8944

E-mail:

bids@rockroads.com

Quote Submittal Deadline: Wednesday, March 20, 2019 12:00 pm (noon)

PIT / QUARRY LOCATION: _____ Townline Pit

Item Description	WisDOT Ce	rtified Material	Meets WisDOT Specifications		Unit Price	
	Yes	No	Yes	No	(\$/Ton)	
Sanding Sand	х		Х		\$6.85	
Fill Sand	X		Х		\$2.40	
Mason Sand						
Pea Gravel / 60% Fracture	X		х		\$8.00 / \$12.95	
Bank Run Gravel	х		х		\$2.45	
Crushed Road Gravel Concrete	х		Х		\$5.60	
5/16" Stone Chips (with Minimum 70% Fractured Surfaces) 3/8" Stone Chips (with Minimum 70% Fractured Surfaces)						
3/4" Crushed Limestone (Dense) 7/8" Crushed Limestone (Dense) 1-1/4" Crushed Limestone (Dense) 3" Crushed Limestone (Dense)						
3/4" Crushed Limestone (Open) 7/8" Crushed Limestone (Open) 1-1/4" Crushed Limestone (Open) 3" Crushed Limestone (Open)						
Shot Rock Rip Rap (Light, 16" Max.)		an termina saantaan saa saantaan saata ka saantaan saata ka saantaan saata ka saantaan saata ka saantaan saata	And the second s	received from the American description of the American section of the American		
Rip Rap (Medium, 20" Max.)						
Rip Rap (Heavy 25" Max.)						
Rip Rap (Extra Heavy, 30" Max.)						
Topsoil	X		Х		\$23.00	
Shedded Topsoil	X		X		\$33.00	

Item Description	Material	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	\$45.00
Tipping Fee	Asphalt Broken	\$45.00
Tipping Fee	Concrete Millings	\$45.00
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	N/A
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	\$45.00
Tipping Fee	Spoil	\$45.00
Tipping Fee	Topsoil	\$45.00

Name:

Rock Road Companies, Inc.

Address:

City/State/Zip: Telephone:

P.O. Box 1818 Janesville, WI 53547-1818 608-752-8944

E-mail:

bids@rockroads.com

PIT / QUARRY LOCATION: Van Allen Quarry	
---	--

Item Description		WisDOT Certified Material		OT Specifications	Unit Price	
	Yes	No	Yes	No	(\$/Ton)	
Sanding Sand						
Fill Sand						
Mason Sand						
Pea Gravel					and the second s	
Bank Run Gravel						
Crushed Road Gravel						
5/16" Stone Chips (with Minimum 70% Fractured Surfaces)						
3/8" Stone Chips (with Minimum 70% Fractured Surfaces)						
3/4" Crushed Limestone (Dense)	X		х	accessed a succession of the contract of the c	\$6.35	
7/8" Crushed Limestone (Dense)	X		х		\$6.35	
1-1/4" Crushed Limestone (Dense)	Х		х		\$6.35	
3" Crushed Limestone (Dense)	X		Х		\$6.35	
3/4" Crushed Limestone (Open)	Х		Х		\$10.50	
7/8" Crushed Limestone (Open)	х		х		\$10.50	
1-1/4" Crushed Limestone (Open)	Х		х		\$7.50	
3" Crushed Limestone (Open)	X		Х		\$7.50	
Shot Rock	х		Х		\$11.00	
Rip Rap (Light, 16" Max.)	х		Х		\$20.00	
Rip Rap (Medium, 20" Max.)	X		Х		\$20.00	
Rip Rap (Heavy 25" Max.)	X		Х		\$22.00	
Rip Rap (Extra Heavy, 30" Max.)	X		Х		\$23.00	
Topsoil					ita partieta kan 190 milikula 100 piljana (kan 1900) tarah 1900 milikula 100 milikula 100 milikula 100 piljana	
Shedded Topsoil						

Item Description	Material :	Unit Price (\$/Load)
Tipping Fee	Asphalt Millings	The second of th
Tipping Fee	Asphalt Broken	
Tipping Fee	Concrete Millings	
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	
Tipping Fee	Spoil	
Tipping Fee	Topsoil	

Name:	BUAN FARM ONALLIES
Address:	13566 W Broad her RI
City/State/Zip:	- Relait his 52511
Telephone:	608-289,289/
E-mail:	RYAN FARM Ovanny (1) WILEBLUE.
	0.54
PIT / QUARR	Y LOCATION: 12726 W STATE Rd 81

Quote Submittal Deadline: Wednesday, March 20, 2019 12:00 pm (noon)

Item Description	WisDOT Cei	tified Material	Meets WisDOT Specifications Unit		Unit Price
	Yes	No	Yes	No	V (5/7011)
Sanding Sand					
Fill Sand					
Mason Sand					
Pea Gravel					y producentale control describeration and the control and the control and the control of the con
Bank Run Gravel					
Crushed Road Gravel					
(with Minimum 70% Fractured Surfaces) 570 Stone Cinps (with Minimum 70% Fractured			A CONTROL OF STATE OF	THE CONTRACT OF THE CONTRACT O	
Surfaces)					
3/4" Crushed Limestone (Dense)		V		1.7	7,65 4
7/8" Crushed Limestone (Dense)				707	7,63
1-1/4" Crushed Limestone (Dense)		V		IES/Ed	7.65 166
3" Crushed Limestone (Dense)		W			7.65
3/4" Crushed Limestone (Open)		~		100	8 60
7/8" Crushed Limestone (Open)				Not	
1-1/4" Crushed Limestone (Open)				TESTES	
3" Crushed Limestone (Open)		سا		LOLE &	8000
Shot Rock		THE CONTRACTOR OF THE CONTRACT	ACCOMMISSION CHALLEN PAR COUNTY AND AN ACCOUNT PARALLES	NACCOMPONENTIAN EXCENTENCE CONTRACTOR CONTRACTOR (and the stand in business of the process of the standard standard by the standard of the stand
Rip Rap (Light, 16" Max.)					
Rip Rap (Medium, 20" Max.)					
Rip Rap (Heavy 25" Max.)					
Rip Rap (Extra Heavy, 30" Max.)					
Topsoil		a territorial del Mario Sano, ario a companyo e angles	et han en ekser volkan seker rekassykansasis nam	ink olomba et man in sellen ola et accesso e	
Shedded Topsoil					

Item Description	Material	Unit Price (\$/Load)
Tipping Fee no Fee	Asphalt Millings	-0-
Tipping Fee no Fee	Asphalt Broken	-0-
Tipping Fee	Concrete Millings	-10,60=
Tipping Fee	Concrete Broken (w/ Steel Reinforcing)	Call
Tipping Fee	Concrete Broken (w/o Steel Reinforcing)	Call
Tipping Fee no Fee	Spoil	-0-
Tipping Fee no Fee	Topsoil	0 _

19

YAND

yard



LYCON INC.

1110 Harding Street | P.O. Box 427 | Janesville, WI 53547-0427 (608) 754-7701 | (800) 262-8604 | (608) 754-8555 fax | www.lyconinc.com

Duane Jorgenson Rock Co. Hwy Dept. 3715 Newville Rd. Janesville, WI 53545

Project: 2019 Price List

Rock County

QUOTATION

Date	Terms Job No	umber Quote#
03/18/19	Net/30	QTEQ24798

MIX	PSI	Description	Unit Price	UOM
		READY MIX	is the constant appropriate to the constant of the constant and the constant approximation of the constant approximation and the constant approximation approximation and the constant approximation approximation approximation approximation approximation and the constant approximation approximation approximation approximation approximation and the constant approximation approx	
1	3000	5.0 Bag-AIR ENTRAINED CONCRETE	\$114.00	CY
2	3500	5.5 Bag-AIR ENTRAINED CONCRETE	\$116.50	CY
3	4000	6.0 Bag-AIR ENTRAINED CONCRETE	\$119.00	CY
4	5000	9.0 Bag-AIR ENTRAINED CONCRETE	\$134.00	CY
5	5000	10.0 Bag-AIR ENTRAINED CONCRETE	\$139.00	CY
6	4000	Grade AFA-AIR ENTRAINED CONCRETE	\$121.40	CY
7	5000	Grade CFA-AIR ENTRAINED CONCRETE	\$126.80	CY
		ADDITIONS		
NCL		2% NON CHLORIDE ACCELERATOR	\$18.00	CY
		WISCONSIN DOT RED COLORING ADMIXTURE	\$80.00	CY
		ICE - PER POUND	\$0.75	LB
		HEATED CONCRETE (NOV. 1 - APRIL 15)	\$8.00	CY
		NIGHT PLANT OPERATING FEE (7 PM - 5 AM)	\$500.00	HOUR
		NIGHT DELIVERY FEE (7 PM - 9 PM & 3 AM - 5 AM)	\$30.00	CY
		NIGHT DELIVERY FEE (9 PM - 3 AM)	\$95.00	CY
		SATURDAY DELIVERY (8 AM - NOON)	\$8.00	CY
		SATURDAY DELIVERY (NOON - 4 PM)	\$30.00	CY
		SAT. NIGHT, SUNDAY, SUNDAY NIGHT, HOLIDAYS - NO DELIVERY		
		PART LOAD CHARGE (excluding finish ups) 1-4 YDS	\$100.00	LOAD

HEREOF AND IS SALES TAX NOT INCLUDED. PRICES ARE F.O.B. JOBSITE. THIS QUOTATION EXPIRES 14 DAYS FROM THE SUBJECT TO APPROVAL OF OUR CREDIT DEPARTMENT.

ACCEPTED BY:

SUBMITTED BY